

**Town of Albany - Proposed Zoning Amendments  
March 13, 2012**

**Amendment #3 - Part 3**

Are you in favor of adoption of Amendment #3 for Site Plan Review Regulations as proposed by the Planning Board and to remain compliant in order to receive national Flood Insurance as directed by the NH Office of Energy and Planning?

**National Flood Insurance Requirements for  
Subdivision and Site Plan Review Regulations**

*The language below must be included in the Subdivision Regulations and Site Plan Review Regulations of communities that participate in the National Flood Insurance Program. If this language does not appear in your regulations, the planning board must adopt it.*

For subdivisions and site plans that involve land designated as "Special Flood Hazard Areas" (SFHA) by the National Flood Insurance Program (NFIP):

- A. The Planning Board shall review the proposed development to assure that all necessary permits have been received from those governmental agencies from which approval is required by Federal or State law, including Section 404 of the Federal Water Pollution Control Act Amendments of 1972, 33 U.S.C. 1334.
  
- B. The Planning Board shall require that all proposals for development greater than 50 lots or 5 acres, whichever is the lesser, include Base Flood Elevation (BFE) data within such proposals (i.e. floodplain boundary and 100-year flood elevation).
  
- C. The Planning Board shall require the applicant to submit sufficient evidence (construction drawings, grading and land treatment plans) so as to allow a determination that:
  - (i) all such proposals are consistent with the need to minimize flood damage;
  - (ii) all public utilities and facilities, such as sewer, gas, electrical, and water systems are located and constructed to minimize or eliminate flood damage; and,adequate drainage is provided so as to reduce exposure to flood hazards.